

Chepstow Plant Current Sales List

Heavy Plant

Category	Year	Make	Model	Hours	Tyres / U-Carriage	Specifcation
BH	2000	JCB	3CX	7000	50%	4-in-1 bucket, forks, extendahoe with bucket, sitemaster
DT30	2017	Volvo	A30G	2825	50%	Floatation tyres, air con, inclinometer, reversing camera, 360 degree mirrors
DT30	2017	Volvo	A30G	2650	50%	Floatation tyres, air con, inclinometer, reversing camera, 360 degree mirrors
DT25	2017	Volvo	A25G	2150	50%	Autolube, 360 degree mirrors, cameras, inclinometer
DT25	2017	Volvo	A25G	2175	50%	Autolube, 360 degree mirrors, cameras, inclinometer
ET45	2016	Volvo	EC480EL	4600	90%	7.0m boom, 3.35m dipper, 700mm tracks, hammer and rotate circuit, autolube, GP bucket, direct mount, reversing camera
ET45	1993	Komatsu	PC400-5 LR	1483	40-50%	25m Demolition Long/high Reach, Demolition Spec and hydraulics, Tier 4 DPF filters, the machine can be de-tiered
ET35	2016	Volvo	EC380EL	3600	60%	6.45m boom, 3.2m dipper, 700mm tracks, GP bucket, direct mount, autolube, hammer circuit, air con, reversing camera
ET35	2016	Volvo	EC380EL	4300	60%	6.45m boom, 3.2m dipper, 700mm tracks, GP bucket, direct mount, autolube, hammer circuit, air con, reversing camera
ET35	2016	Komatsu	PC360LC-11	3950	50%	3.2m dipper, 800mm tracks, miller quick hitch, MST heavy duty bucket, air con, hammer circuit, reversing camera
ET35	2016	Komatsu	PC360LC-11	3650	50%	3.2m dipper, 800mm tracks, miller quick hitch, MST heavy duty bucket, air con, hammer circuit, reversing camera
ET35	2015	Komatsu	PC350LC-8	4600	60%	Mass-Excavation spec, 600mm tracks, direct mount, digging bucket, reinforced sills, hammer circuit, boxing ring, aircon, Tier 3b Engines
ET35	2015	Komatsu	PC350LC-8	5675	65%	Mass-Excavation spec, 600mm tracks, direct mount, digging bucket, reinforced sills, hammer circuit, boxing ring, aircon, Tier 3b Engines
ET35	2015	Komatsu	PC350LC-8	7230	50%	Mass-Excavation spec, 600mm tracks, direct mount, digging bucket, reinforced sills, hammer circuit, boxing ring, aircon, Tier 3b Engines
ET20	2013	Komatsu	PC290LC-10	8235	65-70%	700mm tracks, GP bucket with teeth, Hydraulic quick hitch, hammer circuit, air con, reversing camera, EPA Compliant
ET20	2013	Hitachi	ZX210LC-3	5500	50%	700mm tracks, GP bucket with teeth, Hydraulic quick hitch, hammer circuit, rotation circuit, air con, demolition cage, reversing camera, EPA Compliant, boxing ring

Chepstow Plant Current Sales List

Category	Year	Make	Model	Hours	Tyres / U-Carriage	Specifcation
ET20	2013	Hitachi	ZX210LC-3	5500	50%	700mm tracks, GP bucket with teeth, Hydraulic quick hitch, hammer circuit, rotation circuit, air con, demolition cage, reversing camera, EPA Compliant, boxing ring
ET20	2012	Hitachi	ZX210LC-3	4700	50-60%	700mm tracks, GP bucket with teeth, Hydraulic quick hitch, hammer circuit, rotation circuit, air con, demolition cage, reversing camera, EPA Compliant, boxing ring
ET20	2012	Hitachi	ZX210LC-3	5700	50-60%	700mm tracks, GP bucket with teeth, Hydraulic quick hitch, hammer circuit, rotation circuit, air con, demolition cage, reversing camera, EPA Compliant, boxing ring
ET20	2013	Komatsu	PC210LC-8	5600		700mm tracks. GP bucket with teeth, HQH, hammer circuit, air con, reversing camera
EW	2007	Volvo	EW160B	6791	70%	GP bucket, hydraulic quick hitch, hammer and rotation circuit, air con, twin tyres, mono boom, front blade, stabilisers
EMD	2012	Komatsu	PC130-8	7250	75%	700mm tracks, GP bucket with teeth, Hydraulic quick hitch, hammer circuit, air con, reversing camera
EMD	2011	Komatsu	PC130-8	7350	70%	700mm tracks, GP bucket with teeth, Hydraulic quick hitch, hammer circuit, rotation circuit, air con, reversing camera
FL	2000	Hyster	H18.00XM-12	2800	80% (Fr), 25% (Rr)	18 tonne lift capacity, 5.3m lift height, 2 stage mast, 2.44m forks, EPA compliant, aircon, lever control, service records available
MC	1996	Pegson	1100 x 650	3933	80%	Jaw crusher, feed opening of 1100mm x 650mm, 45 tonne, tri-axle chassis, Cat 3306 engine, magnet
TH	2009	Merlo	P101.10	5100	40-50%	10,000Kg lift Capacity, 9.8M Lifting height, Joystick Controls, Frame levelling, Double Acting Auxiliary Hydraulics, 3 mode steering, 40Kph Hydrostatic Transmission, Boom Side-Shift
TH	2005	Merlo	P101.10	4100	75%	10,000Kg lift Capacity, 9.8M Lifting height, Joystick Controls, Frame levelling, Double Acting Auxiliary Hydraulics, 3 mode steering, 40Kph Hydrostatic Transmission, Boom Side-Shift
WLM	2015	Bell	L2106E	7050	80%	GP bucket, direct mount, 3rd line, autolube, reversing camera, radar, ride control, rear full wings
WLM	2011	Caterpillar	966H	12656	25%	4.2m3 straight edge bucket, full steer, direct mount, rear full wings, air con, auto lube
WLM	2011	Caterpillar	966H	28538	25%	Direct mount, auto lube, air con

Light Plant

Category	Year	Make	Model	Hours	Tyres / U-Carriage	Specifcation
----------	------	------	-------	-------	--------------------	--------------

Chepstow Plant Current Sales List

Category	Year	Make	Model	Hours	Tyres / U-Carriage	Specifcation
AT	-	Komatsu	PC210-8 Cab	-	-	New and unused cabin to fit a Komatsu -8 series
AT	-	Komatsu	PC210-7 Cab	-	-	New and unused cabin to fit a Komatsu -7 series
AT	-	Komatsu	PC210-6 Cab	-	-	New and unused cabin to fit a Komatsu -6 series
CR	1990	Palfinger	SC2500	600	-	4 Tonne self-propelled crane, 4.2m working radius
DU	2008	Terex	TA9	2235	30%	Straight tip, foldable ROPs, tow bar, green & orange beacon, Road lights
DU	2007	Terex	TA9	3945	25%	Straight tip, foldable ROPs, tow bar, orange beacon, EPA compliant
DU	2011	Terex	TA6S			
DU	2008	Thwaites	3T	715	50% Rr, 30% Fr	Swivel tip, Road lights, tow hitch, EPA compliant, Foldable ROPs
DU	2008	Thwaites	2T		100%	Straight tip, new tyres
DU	2007	Benford	1T HT			High-tip
EMN	2010	Doosan	DX27Z	4486	50-60%	2 buckets, quick hitch, hammer circuit, zero tail swing, front blade
EMN	2016	Komatsu	PC14R-3HS	7	100%	New and unused machine, 3 buckets, manual hitch, hammer circuit, expandable tracks, zero tail swing, front blade, canopy